

New Jersey's Taxonomic Organization for Panicoideae within the Grass Hierarchy					
Order	Family	Subfamily	PACCAD Subfamilies	Tribes	Genera
Poales	<b>Poaceae</b> Typhaceae Mayaceae Bromeliaceae Xyridaceae Eriocaulinaceae  Restionaceae Flagellariaceae Joinvilleaceae  Cyperaceae Juncaceae	<b>PACCAD</b>  Poideae Pharoideae Bambusoideae Erhartoideae	<b>Panicodeae</b> Arundinoideae Chloridoideae Centothrcoides Aristidoideae Danthoniodeae	<b>Paniceae</b>  Andropogoneae	<i>Amphicarpon</i> <i>Cenchrus</i> <i>Setaria</i> <i>Echinochloa</i> <i>Digitaria</i> <sup>1</sup> <i>Paspalum</i> <i>Leptoloma</i> <sup>2</sup> <i>Dichanthelium</i> <i>Panicum</i>  <i>Tripsacum</i> <i>Arthraxon</i> <i>Andropogon</i> <i>Sorgastrum</i> <i>Microstegium</i> <i>Saccharum</i> <i>Sorghum</i> <i>Schizachyrium</i> <i>Coelorachis</i>

<sup>1</sup> FNA and Kartesz includes *Leptoloma*

<sup>2</sup> JRA separates in NJ by perennial vs. annual reproductive stratagy.